



MODERN
MOULDING

CANTILEVER
COPING
STYROFOAM
FORMS



AN AUTHORIZED
DISTRIBUTOR OF
MODERN MOULDING



MODERN
MOULDING


The innovative system designed by Modern Moulding can cut hours off installation and cleanup time. With one of our offered coping kits, a standard pool can be set up and ready to pour in as little as one hour. Versatility is provided with a variety of profile designs, as well as installation capabilities for **vinyl, fiberglass, concrete/gunite pools and autocover.**

BENEFITS:

- Can combine forms onto existing Cardinal & Quaker shipments at no additional cost.
- No two-way tape required
- Easy to install


VINYL LINERS ONLY

- Forms wedge directly into liner track, leaving track clean of debris.
- Modern Moulding's Vinyl Liner system uses reusable lock-in clips to hold the forms in place. These clips have an extended support to keep the forms from tilting when concrete is poured.



VINYL

*AVAILABLE IN 112'/BOX OR 32'/BOX



CAR-NC


8' STYRO CAPSTONE
VINYL LINER 14/BX

8' x 14pcs - 112 Linear FT/Box

CAR-NC-32

8' CAPSTONE
VINYL LINER - 4/BX

8' x 4pcs - 32 Linear FT/Box



CAR-SQP


8' STYRO SQUARE
VINYL LINER 14/BX

8' x 14pcs - 112 Linear FT/Box

CAR-SQP-32

8' SQUARE
VINYL LINER - 4/BX

8' x 4pcs - 32 Linear FT/Box



CAR-BN


8' STYRO BULLNOSE
VINYL LINER 14/BX

8' x 14pcs - 112 Linear FT/Box

CAR-BN-32

8' BULLNOSE
VINYL LINER - 4/BX

8' x 4pcs - 32 Linear FT/Box



CAR-CRC


8' STYROFOAM
VINYL LINER 14/BX

8' x 14pcs - 112 Linear FT/Box

CAR-CRC-32

8' SHORT PROFILE
VINYL LINER - 4/BX

8' x 4pcs - 32 Linear FT/Box



CAR-ICC

8' STYRO CONCRETE
VINYL LINER 14/BX

8' x 14pcs - 112 Linear FT/Box

CAR-ICC-32

8' REGULAR
VINYL LINER - 4/BX

8' x 4pcs - 32 Linear FT/Box



*CAR-NC-6RAD

6" RADIUS CORNER

Capstone vinyl Liner 4/Box



*CAR-BN-6RAD

6" RADIUS CORNER

Bullnose vinyl Liner 4/Box



*CAR-SQP-6RAD

6" RADIUS CORNER

Square vinyl Liner 4/bxBox



*CAR-ICC-6RAD

6" RADIUS CORNER

ICC Vinyl - 4/Box

VINYL LINER SYSTEM INSTRUCTIONS



1. Choose a profile
2. Tape the forms where bending is required. 3" filament tape is highly recommended.
3. Insert each 8' foam piece coping into the liner track.
4. Using the scribed line as a guide, insert the reusable clip horizontally into the track.
* double track not required
5. Lock the clip with a 1/4 turn.

TIPS:


- Remove the bending tape before pouring the concrete.
- Lubricate forms with an oil or cooking spray before pouring for easy removal.
- Use your hands or a gentle vibrating tool to vibrate the forms gently. *A 5-6 slump is recommended.*
- Clips should be 8 - 10" apart on a rectangular pool and 10-12" apart on a free form pool.



CAR-RG286
3" FILAMENT TAPE



CAR-CC
REUSABLE CLIPS
100/BOX



6" radius corners available with vinyl liner profiles

CAR-NC-6RAD
6" RADIUS CORNER
Capstone vinyl 4/bx


CAR-BN-6RAD
6" RADIUS CORNER
Bullnose vinyl 4/bx

CAR-SQP-6RAD
6" RADIUS CORNER
Square vinyl 4/bx

CAR-ICC-6RAD
6" RADIUS CORNER ICC
Vinyl - 4/BX

FIBERGLASS

*AVAILABLE IN 112'/BOX OR 32'/BOX



CAR-NC-FG


8' CAPSTONE FIBERGLASS - 14/BX
W 100PCS. CAR-CC-UD CLIPS

8' x 14pcs - 112 Linear FT/Box

CAR-NC-FG-32

8' CAPSTONE FIBERGLASS - 4/BX
W 40 PCS. CAR-CC-UD CLIPS

8' x 4pcs - 32 Linear FT/Box



CAR-SQP-FG


8' SQUARE FIBERGLASS - 14/BX
W 100PCS. CAR-CC-UD CLIPS

8' x 14pcs - 112 Linear FT/Box

CAR-SQP-FG-32

8' SQUARE FIBERGLASS - 4/BX
W 40 PCS. CAR-CC-UD CLIPS

8' x 4pcs - 32 Linear FT/Box



CAR-BN-FG


8' BULLNOSE FIBERGLASS - 14/BX
W 100PCS. CAR-CC-UD CLIPS

8' x 14pcs - 112 Linear FT/Box

CAR-BN-FG-32

8' BULLNOSE FIBERGLASS - 4/BX
W 40 PCS. CAR-CC-UD CLIPS

8' x 4pcs - 32 Linear FT/Box



CAR-CRC-FG


8' SHORT FIBERGLASS - 14/BX W 100PCS. CAR-CC-UD CLIPS

8' x 14pcs - 112 Linear FT/Box

CAR-CRC-FG-32

8' SHORT COPING FIBERGLASS - 4/BX W 40 PCS. CAR-CC-UD CLIPS

8' x 4pcs - 32 Linear FT/Box



CAR-ICC-FG

8' REGULAR FIBERGLASS - 14/BX W 100PCS. CAR-CC-UD CLIPS

8' x 14pcs - 112 Linear FT/Box

CAR-ICC-FG-32

8' REGULAR FIBERGLASS - 4/BX W 40 PCS. CAR-CC-UD CLIPS

8' x 4pcs - 32 Linear FT/Box

FIBERGLASS SYSTEM INSTRUCTIONS



1. Modern Moulding Styrofoam Forms are designed to cradle the fiberglass pool wall, eliminating the need for a plumb strip.
2. The forms are perforated every 3" to accommodate the 2 piece Universal clip as required. Place the forms along the pool and screw down the UD Clip to the top of the fiberglass or concrete pool.
3. Once the concrete has been poured and you are ready to strip, simply slide off the UB clip and remove the forms one 8ft. section at a time. Use the slide hammer tool to pull out the remaining UD tab.

TIPS:

- Remove the bending tape before pouring the concrete.
- Lubricate the forms with an oil spray, or cooking spray before pouring, for easy removal.
- Vibrate the forms gently with your hand or a gentle vibrating tool. A 5-6 slump is recommended.
- We recommend that clips are 10-12" apart.
- Same day stripping is recommended.




Installation Video

** Universal
2 pc. System*

CAR-RG286
3" FILAMENT TAPE



***CAR-CC-UB** ***CAR-CC-UD**
REUSABLE UNIVERSAL CLIP-BODY 100/BX DISPOSABLE UNIVERSAL CLIP 100/BX



CAR-CC-FG25
CANT CLIPS FIBERGLASS STAIRS
25/BOX

CAR-CC-FG100
CANT CLIPS FIBERGLASS STAIRS
100/BOX


CAR-CC-FG150
CANT CLIPS FIBERGLASS STAIRS
150/BOX



CAR-S002
SLIDE HAMMER TOOL
CLIP REMOVER

CONCRETE/GUNITE

**AVAILABLE IN 112'/BOX OR 32'/BOX*



CAR-NC-FGWT


8' CAPSTONE GUNITE - 14/BX
W 100PCS. CAR-CC-UD CLIP

8' x 14pcs - 112 Linear FT/Box

CAR-NC-FGWT-32

8' CAPSTONE GUNITE - 4/BX
W 40 PCS. CAR-CC-UD CLIP

8' x 4pcs - 32 Linear FT/Box



CAR-SQP-FGWT


8' SQUARE GUNITE - 14/BX
W 100PCS. CAR-CC-UD CLIP

8' x 14pcs - 112 Linear FT/Box

CAR-SQP-FGWT-32

8' SQUARE GUNITE - 4/BX
W 40 PCS. CAR-CC-UD CLIP

8' x 4pcs - 32 Linear FT/Box



CAR-BN-FGWT

8' BULLNOSE GUNITE - 14/BX
W 100PCS. CAR-CC-UD CLIP

8' x 14pcs - 112 Linear FT/Box

CAR-BN-FGWT-32

8' BULLNOSE GUNITE - 4/BX
W 40 PCS. CAR-CC-UD CLIP

8' x 4pcs - 32 Linear FT/Box



CAR-CRC-FGWT


8' REGULAR GUNITE - 14/BX
W 100PCS. CAR-CC-UD CLIP

8' x 14pcs - 112 Linear FT/Box

CAR-CRC-FGWT-32

8' REGULAR GUNITE - 4/BX
W 40 PCS. CAR-CC-UD CLIP

8' x 4pcs - 32 Linear FT/Box



CAR-ICC-FGWT


8' REGULAR GUNITE - 14/BX
W 100PCS. CAR-CC-UD CLIP

8' x 14pcs - 112 Linear FT/Box

CAR-ICC-FGWT-32

8' REGULAR GUNITE - 4/BX
W 40 PCS. CAR-CC-UD CLIP

8' x 4pcs - 32 Linear FT/Box



CAR-TI-FGWT

8' REGULAR GUNITE - 14/BX
W 100PCS. CAR-CC-UD CLIP

8' x 14pcs - 112 Linear FT/Box

CAR-TI-FGWT-32


8' REGULAR GUNITE - 4/BX
W 40 PCS. CAR-CC-UD CLIP

8' x 4pcs - 32 Linear FT/Box

UNIVERSAL SYSTEM INSTRUCTIONS – 2 PCS.

USED ON FIBERGLASS,
CONCRETE/SHOTCRETE POOLS

1. Slide the **CAR-CC-UD** clips into the perforated slots through the profile side of the Styrofoam form. *It is recommended 8-10" apart on a rectangular pool and 10-12" apart on a free form pool.*
2. Screw a 1" self tapping screw through one of the predetermined anchor points,. *Note *if you are screwing into an autocover track, make sure the screw is directly behind the cavity wall.*
3. Once all clips have been inserted on an 8' section, set your form tight along your pool wall.
4. Slide the reusable body (**CAR-CC-UB**) onto the disposable clip (**CAR-CC-UD**), vertically pressing tight to the form. Insert a small nail into the closest hole to the body to lock it into place.



REMOVAL: It is recommended to strip off forms in 8' sections. Remove locking nail, slide off reusable body, remove the 8' section of foam, snap off perforated area of the disposable clip. Clamp the slide hammer to the 1" remaining portion and pull on a slight diagonal downward to pull it out.

TIPS:

- Use an oil spray (cooking spray) on the face of the profile for easy removal.
- Use the Modern Moulding slide hammer tool to remove the tabs.
- It is recommended to strip the forms the same day, once the concrete has set.



CAR-S002
SLIDE HAMMER TOOL
CLIP REMOVER

CAR-RG286
3" FILAMENT TAPE



** Universal
2 pc. System*



***CAR-CC-UB** ***CAR-CC-UD**
REUSABLE UNIVERSAL CLIP-BODY DISPOSABLE UNIVERSAL CLIP
100/BX 100/BX




*Installation
Video*

COVER-STAR AUTOCOVER

*AVAILABLE IN 96'/BOX OR 24'/BOX

VINYL LINER W/ FLUSH LID **TO BE USED WITH THE CAR-CC-RC CLIPS




CAR-NC-RC-CS-FL

8' CAPSTONE COVERSTAR VL - 12/BX
8' x 12pcs - 96 Linear FT/Box

CAR-NC-RC-CSFL24

8' CAPSTONE COVERSTAR VL - 3/BX
8' x 12pcs - 96 Linear FT/Box




CAR-BN-RC-CS-FL

8' SQUARE COVERSTAR VL - 12/BX
8' x 12pcs - 96 Linear FT/Box

CAR-BN-RC-CSFL24

8' CAPSTONE COVERSTAR VL - 3/BX
8' x 12pcs - 96 Linear FT/Box




CAR-SQP-RC-CS-FL

8' SQUARE COVERSTAR VL - 12/BX
8' x 12pcs - 96 Linear FT/Box

CAR-SQP-RC-CS-FL-24

8' CAPSTONE COVERSTAR VL - 3/BX
8' x 12pcs - 96 Linear FT/Box

FIBERGLASS/GUNITE POOLS **TO BE USED WITH THE UNIVERSAL CLIP SYSTEM




CAR-NC-RC-FG-CS-FL

8' CAPSTONE COVERSTAR FG - 12/BX
W 100 PCS. CAR-CC-UD
8' x 12pcs - 96 Linear FT/Box

CAR-NC-RC-FG-CS-FL-24

8' CAPSTONE COVERSTAR FG - 12/BX
W 25 PCS. CAR-CC-UD
8' x 12pcs - 96 Linear FT/Box




CAR-BN-RC-FG-CS-FL

8' BULLNOSE COVERSTAR FG - 12/BX W 100
PCS. CAR-CC-UD
8' x 12pcs - 96 Linear FT/Box

CAR-BN-RC-FG-CS-FL-24

8' BULLNOSE COVERSTAR FG - 12/BX W 25
PCS. CAR-CC-UD
8' x 3 pcs - 24 Linear FT/Box



CAR-SQP-RC-FG-CS-FL


8' SQUARE COVERSTAR FG - 12/BX
W 100 PCS. CAR-CC-UD
8' x 12pcs - 96 Linear FT/Box

CAR-SQP-RC-FG-CS-FL-24

8' SQUARE COVERSTAR FG - 12/BX
W 25 PCS. CAR-CC-UD
8' x 3 pcs - 24 Linear FT/Box

COVER-POOLS AUTOCOVER

AUTOMATIC COVER FOR VINYL LINER



CAR-NC-RC-CPT4


8' CAPSTONE COVER-POOLS VL - 12/BX

8' x 12pcs - 96 Linear FT/Box

CAR-NC-RC-CPT4-24

8' CAPSTONE COVER-POOLS VL - 3/BX

8' x 3 pcs - 24 Linear FT/Box



CAR-BN-RC-CPT4


8' BULLNOSE COVER-POOLS VL - 12/BX

8' x 12pcs - 96 Linear FT/Box

CAR-BN-RC-CPT4-24

8' BULLNOSE COVER-POOLS VL - 3/BX

8' x 3 pcs - 24 Linear FT/Box



CAR-SQP-RC-CPT4

8' SQUARE COVER-POOLS VL - 12/BX


8' x 12pcs - 96 Linear FT/Box

CAR-SQP-RC-CPT4-24

8' SQUARE COVER-POOLS VL - 3/BX

8' x 3 pcs - 24 Linear FT/Box

AUTOMATIC COVER FOR FIBERGLASS/GUNITE POOLS



CAR-NC-RC-FG-CPT4

8' CAPSTONE COVER-POOLS FG - 12/BX

W 100 PCS. of CAR-CC-UD


8' x 12pcs - 96 Linear FT/Box

CAR-NC-RC-FG-CPT4-24

8' CAPSTONE COVER-POOLS FG - 3/BX

W 25 PCS. of CAR-CC-UD

8' x 3 pcs - 24 Linear FT/Box



CAR-BN-RC-FG-CPT4

8' BULLNOSE COVER-POOLS FG - 12/BX

W 100 PCS. of CAR-CC-UD


8' x 12pcs - 96 Linear FT/Box

CAR-BN-RC-FG-CPT4-24

8' BULLNOSE COVER-POOLS FG - 12/BX

W 25 PCS. of CAR-CC-UD

8' x 3 pcs - 24 Linear FT/Box



CAR-SQP-RC-FG-CPT4

8' SQUARE COVER-POOLS FG - 12/BX

W 100 PCS. of CAR-CC-UD

8' x 12pcs - 96 Linear FT/Box

CAR-SQP-RC-FG-CPT4-24

8' SQUARE COVER-POOLS FG - 3/BX


W 25 PCS. of CAR-CC-UD

8' x 3 pcs - 24 Linear FT/Box

APC AUTOCOVER

*AVAILABLE IN 96'/BOX OR 24'/BOX

VINYL LINER W/ FLUSH LID



CAR-SQP-RC-APC


8' SQUARE APC FLUSH LID - 12/BX

8' x 12pcs - 96 Linear FT/Box

CAR-SQP-RC-APC-24

8' SQUARE APC FLUSH LID - 3/BX

8' x 3 pcs - 24 Linear FT/Box



CAR-BN-RC-APC

8' SQUARE APC FLUSH LID - 12/BX

8' x 12pcs - 96 Linear FT/Box

CAR-BN-RC-APC-24

8' SQUARE APC FLUSH LID - 3/BX

8' x 3 pcs - 24 Linear FT/Box




CAR-CC-RC

CANT CLIPS AUTO
COVERS VINYL LINER
100/BOX

CAR-CC-RC-125

CANT CLIPS AUTO
COVERS VINYL LINER
125/BOX

FIBERGLASS/GUNITE POOLS



CAR-SQP-RC-FG-APC


8' SQUARE APC FIBERGLASS - 12/BX

8' x 12pcs - 96 Linear FT/Box

CAR-SQP-RC-FG-APC-24

8' SQUARE APC FIBERGLASS - 3/BX

8' x 3 pcs - 24 Linear FT/Box



CAR-BN-RC-FG-APC

8' SQUARE APC FIBERGLASS - 12/BX

8' x 12pcs - 96 Linear FT/Box

CAR-BN-RC-FG-APC-24

8' SQUARE APC FIBERGLASS - 3/BX

8' x 3 pcs - 24 Linear FT/Box



*CAR-CC-UB

REUSABLE UNIVERSAL
CLIP-BODY 100/BX

*CAR-CC-UD

DISPOSABLE UNIVERSAL
CLIP 100/BX

** Universal 2 pc. System*







